

Trevi / Sunshade 3,5x3,5
Design /

Test
UPF Rating 50+| Spray Test >95

The Piazza Trevi sunshade by EMU D&S Lab can be used in both contract and residential settings to provide welcome shade and privacy. Its innovative, remote-controlled adjustable lighting system, as well as the distinctive spoke design featuring LED lights incorporated into the slats makes it an indispensable accessory for outdoor areas, even at night. The sunshade allows practical opening and closure without needing to move the furniture and table dressings underneath. A range of accessories including gutters and bases for floor or wall mounting round out its functionality.




Description

Code: **997+929/B8+999**
Typology: **Side pole**
Collection: **Trevi**

Pole: 9x13.5 cm
Cover: Yes
Cover Type: FC/981
Test: UPF Rating 50+| Spray Test >95

Technical Info



Width: **353 cm**
Depth: **372 cm**
Height: **329 cm**
Weight: **93.1 Kg**
Static Load:

Packaging

Packages: **2**
Pieces for pack: **1**
Dimensions: **308x46x60 cm - 128x66x26 cm**
Volume: **1.07 mc**
Polyethylene bag and cardboard box

Trevi / Sunshade 3,5x3,5
Design /

Test
UPF Rating 50+| Spray Test >95

Colors



Aluminium - White Pro



Aluminium - Beige



Antique Iron - White Pro



Antique Iron - Beige



Matt White - White Pro

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Synthetic Fabrics

Acrylic fabric: a fibre whose base element is a polymer chain consisting of 85% acrylonitrile. Acrylic fibre combines the aesthetic qualities of a luxurious fabric with the texture and feel of wool with the functional qualities of resistance to the elements: UV resistant, it does not stain and does not rot upon contact with water as it is fast-drying.

Polyester fabric: a fibre composed of linear macromolecules consisting mainly of polyethylene terephthalate. It has excellent mechanical properties: it withstands breakage, light and abrasion. It does not deform permanently, it has an excellent elastic recovery and is waterproof.

Polypropylene fabric: these are fibers that are generally very fine, with a high surface tension, thanks to which water can pass through and flow out quickly. Strength and durability are among the main advantages offered by this material, which also provides good thermal insulation.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Avoid prolonged contact with greasy substances and/or dyes or colorants that could be absorbed by the covering material and cause permanent stains, as well as deteriorating the yarn structure. In the case of use near the sea or swimming pools, periodic washing is recommended. Frequent washing: follow the specific instructions given on the label for each material. Use water and non-abrasive, colorless, neutral PH liquid detergents. If necessary, allow the detergent to act for a few minutes. Rinse thoroughly with water at a temperature not higher than 30°C (86°F). If pressure cleaning devices are used, keep the tip of the nozzle at a distance of at least 60-70 cm from the surface of the product. If necessary, repeat the operation. Do not use abrasive sponges to remove stains and do not treat with bleach or chlorine.

Trevi / Sunshade 3,5x3,5
Design /

Test
UPF Rating 50+ | Spray Test >95