

TECHNICAL CHARACTERISTICS

BOTO100RBRB

Oto




Bench

Oto bench, timeless aesthetic that remains. A design that completes the collection, available in two different size, in oak or beech and a wide range of tints.

DESIGNED BY ONDARRETA TEAM



ondarreta



DIMENSIONS

100/ 150 cm x 35 cm x 45 cm (39.4"/
59.4" x 13.8" x 17.7") [depth x height]

WEIGHT

Width 100: 7,4 kg (16,3 lb)
Width 150: 11 kg (24,25 lb)

ACCESORIES

Cushion with Straps

ORIGIN

100% Made in Europe

DESIGN

Ondarreta Team



COMPONENTS

FRAME

Material

Solid Beech wood bowed with a singular method and CNC machined.

Medium density: 720 kg/m³ (44,9 lb/ft³); Flex Strength: 1120 kg/cm². (15,900 psi); Tensile Strength: 1210 kg/cm² (17,200 psi).

Finish

Stained

SEAT

Beech

Beech plywood board shell, 18 mm (0.7") thick. It's made with nine especially treated sheets, glued, pressed and CNC machined.

Laminate + Birch Plywood

High pressure laminate glued and pressed in high temperatures on a Birch plywood wood table.

Fabrics

30 mm (1.18") thick elastic foam in a 18 mm (0.71") thickness wood..

Finish

Stained or Fabric



WOOD FINISHES

Stain

Pigmented enamel with a transparent stain coating. Reactive drying paints: excellent adherence between layers and better mechanical resistance.

Technical Characteristics:

Satisfying UNE-EN 71-3 normative; Formaldehyde free compounds.

COM REQUIREMENT

Width 100: 55 cm (21.7")

Width 150: 165 cm (65")

