

# systemtronic

datasheet MILL



General description:

The table tops of this collection are available in lacquered MDF or transparent tempered glass that combine with two versions of bases. The finish of the bases can be white or forge grey, the "Y" shaped bases can also be chromed.

Designer: STC Studio.



### Technical description:

#### GLASS TOP AND "Y" BASE

·Materials:  
Top: Glass.  
Connecting element: Aluminum.  
Column: Calibrated steel.  
Base: Calibrated steel.  
·Dimensions: Ø450x501mm  
Ø17.72"x19.72"

#### GLASS TOP AND "O" BASE

·Materials:  
Top: Glass.  
Connecting element: Aluminum.  
Column: Calibrated steel.  
Base: Steel.  
·Dimensions: Ø450x481mm  
Ø17.72"x18.94"


#### LAQUERED MDF TOP AND "Y" BASE

·Materials:  
Top: MDF.  
Disk: Steel.  
Column: Calibrated steel.  
Base: Calibrated steel.  
·Dimensions: Ø450x504mm  
Ø17.72"x19.84"


#### LAQUERED MDF TOP AND "O" BASE

·Materials:  
Top: MDF.  
Disk: Steel.  
Column: Calibrated steel.  
Base: Steel.  
·Dimensions: Ø450x484mm  
Ø17.72"x19.06"


MIYC  
10mm glass top and "Y" base




MIOC  
10mm glass top and base "O" base



MIYM  
laquered MDF top and "Y" base




MIOM  
laquered MDF top and "O" base



SI units: mm and inches

### Finishes:


#### GLASS TOP AND "Y" BASE



#### GLASS TOP AND "O" BASE



#### LAQUERED MDF TOP AND "Y" BASE



#### LAQUERED MDF TOP AND "O" BASE



Consult for special dimensions or any other modification.

### Maintenance:

#### -Polyester Paint:

For dry dirt (dust), use a damp cloth. For greasy/oily stains (fingerprints), wipe with a sponge with water and dishwashing liquid. Rinse with a damp cloth. Avoid using products containing solvents and/or pure ethyl alcohol.

#### -Aluminium-metal-glass-melamine-plastic:

We recommend using normal cleaning products for delicate surfaces. Alcohol, solvents and abrasive agents must be avoided.

systemtronic \_ Mill

www.st-systemtronic.com

nacional@st-systemtronic.com · export@st-systemtronic.com

tel. 96-1852784 · fax.34-961854482