

KAYAK



Waiting, lounge and conference armchair.

Versions with normal or squared stitching:

- **One-color** completely upholstered in one colour (fabric, leather or synthetic leather)
- **Two-colors** with 2 different colors of upholstery (within the same category and kind of fabric):
The first one for the shell and the other one for the lateral sides and the front side of the seat.



- High back




- Medium back



- Low back

Shell: inner supporting frame in steel and fireproof cold injection of expanded polyurethane.
 Seat density min. 60 Kg/m³, back density 35 kg/m³.
 Both covered with resinat gr. 100 to grant a softer seating.

Bases:



- **fixed frame with 2 legs in front side and sled in back side** in chromed steel tube Ø 16x2mm.



- **4-star chromed fixed frame** in chromed steel th.10 mm. Ø 770 mm. with 4 adjustable glides
 Chromed fixed column Ø 50x2 mm. with fixed welded plate th. 5 mm.

- **4 star chromed swivel base** in chromed steel th.10 mm. Ø 770 mm. with 4 adjustable glides
 Chromed fixed column Ø 50x2 mm. with fixed welded plate th. 5 mm.



- **with AL4 - 4 star chromed swivel base:** in die-cast polished aluminum Ø 730 mm. with **chromed feet** and **chromed gas-lift**.

- **with AL4 - 4 star chromed swivel base:** in die-cast polished aluminum Ø 730 mm. with **chromed feet**, **chromed gas-lift**, and **automatic return system**.



- **round fixed base** in chromed stainless steel 580 mm., black painted counterbalance th. 8mm and fixed chromed column.

- **round swivel base** in chromed stainless steel 580 mm., black painted counterbalance th. 8mm and fixed chromed column.

Seat height adjustment : by means of a gas piston, cone Ø 28 mm.

Dimensions:

