

# B- Line

B-Line S.r.l.  
Via Galileo Galilei, 13/B  
35030 - Sarmeola di Rubano (PD)  
ITALY

T. +39 049 8978245  
F. +39 049 633499  
E. [info@b-line.it](mailto:info@b-line.it)  
W. [b-line.it](http://b-line.it)

**CROSSED**

Design by Joe Colombo

CARTELLA TESSUTI / FABRIC REFERENCE CHART

FP

PLATINUM FLUKSO

82% PVC  
18% PES



TFP5



TFP12




TFP22



TFP30



TFP36




TFP15


VG

GORGEOUS FLUKSO

100% PES FR / TREVIRA CS



TVG2153



TVG2158



TVG2148



TVG2118



TVG2126



TVG2111

RX

REMIX 2 KVADRAT

90% LANA VERGINE / NEW WOOL  
10% NYLON



TRX123



TRX682



TRX173



TRX662



TRX743



TRX982

HE

HERO KVADRAT


96% LANA VERGINE / NEW WOOL  
4% NYLON



THE211



THE141




THE791



THE541



THE991



THE381

ST

STEELCUT TRIO 3 KVADRAT


90% LANA VERGINE / NEW WOOL  
10% NYLON



TST133



TST916



TST195



TST515



TST716




TST376


LN

PANAMA DANI

100% PELL I BOVINE EUROPEE  
100% EUROPEAN COW HIDES



LN5506



LN5290



LN5300



LN5210



LN5320



LN5400

SPECIFICHE TESSUTI  
/ FABRIC FEATURES

Platinum  
Flukso  
650 g/mq / g/sqm  
100.000 Martindale



Gorgeous  
Flukso  
450 g/mq / g/sqm  
100.000 Martindale



Remix 2  
Kvadrat  
415 g/mtl / g/lin.m  
100.000 Martindale



Hero  
Kvadrat  
580 g/mtl / g/lin.m  
45.000 Martindale



Steelcut Trio 3  
Kvadrat  
770 g/mtl / g/lin.m  
100.000 Martindale



Panama  
Dani  
sp / thk 1,0-1,2 mm

resistenza allo strappo  
/ tear resistance  
20 N I EN ISO 3377 -1  
  
resistenza alla flessione  
/ flex resistance  
  
nessuna rottura  
in 50.000 cicli  
/ no damage  
in 50.000 cycles  
EN ISO 5402