


## ZEPPELIN 2

Designed by Marcel Wanders, 2005


F9805009



## ZEPPELIN 2

F9805009

EN



**01. RF6420209** – White rose assembly

**02. RF05382** – Kit of quality 5 OR rings

**03. RF14171** – Crystal sphere assembly

ZEPPELIN 2 F9805009

EN

## RF6420209

WHITE ROSE ASSEMBLY



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.

ZEPPELIN 2 F9805009

EN

## RF6420209

WHITE ROSE ASSEMBLY




Fig.1




Fig.2

Fix the wall fixture (A) with the appropriate expansion bolts.

**NOTE:** Select and employ screw anchors which are suited to the surface where the appliance is to be installed.

Connect the feed cables coming from the ceiling in the terminal box (G) and the earth cable to the earth terminal (H).  
Assemble the ceiling rose (I).


**WARNING!** When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.

ZEPPELIN 2 F9805009

EN

## RF05382

KIT OF QUANTITY 5 OR RINGS



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.

ZEPPELIN 2 F9805009

EN

## RF14171

CRYSTAL SPHERE ASSEMBLY



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - [www.flos.com](http://www.flos.com)

Flos reserves the right to introduce any changes to its own models, without prior notice.

ZEPPELIN 2 F9805009

EN

## RF14171

CRYSTAL SPHERE ASSEMBLY




Fig.1

Assemble the crystal sphere (O) by fastening the threaded pivot (N) into the proper central hole of the bracket (L).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.