

IMAGE



SPECIFICATION

Upholstery Available In Fabric or Leather
 Available C.O.M. / C.O.L.

Required Fabric For Upholstery: 1,54 Lm / 5.05 ft
 Required Leather For Upholstery: 2,20 Sq m / 23.68 ft²

Gross Weight: 16,10 Kg / 35.49 lb
 Volume: 0,43 Cbm / 15.19 ft³
 Box Dimensions: w 710 x d 710 x h 860 mm / w 27.95" x d 27.95" x h 33.86"
 1 per box
 HARMONIZED SYSTEM CODE 94013000

ROUGH-IN DRAWING



STANDARD FEATURES

INNER FRAME

Double radius stratified curved beech plywood, warm shaped, 14 mm thickness. Various wood essences are available. Foam moulded polyurethane, density 40 kg/m³.

PADDING

Seat and backrest foam made of flexible polyurethane, crushproof, density D40/RC thickness 30 mm, rear backrest D40/RC thickness 0.5 mm. CFC-free.

BEARING FRAME

Union of two symmetrical bended shapes in beech, 14 mm thickness, foldaway combined through special glues and through 3 steel blades fixed with special screws Wurth®.

BASE

Swivel base, five-spoke, diameter 688 mm. (Lead is present in the aluminum to a lesser extent <0.20%, The aluminum used complies with 2005/95/CE, 2002/69/CE and 2003/108/CE). Recyclability 100%. Available polished aluminium or embossed epoxy-polyester powder coating, with double coat anti-scratch treatment average thickness 50 microns.

GAS LIFT

Pneumatic seat height adjustment, Gas lift column, CLASS 4 DIN 455, chromium plated cone.

CASTORS

Ø 60 mm Support Chrome, Tyre Black, Discs Chrome Without Brake, with Chrome ABS side discs, suitable for any type of flooring, thanks to the polyurethane rubber.

FIXED PLATE

Die cast aluminium support in black epoxy-polyester powder coating. Fix plate with lever for the gas-lift adjustment only.

Available FSC® certified

COUNTRY OF PRODUCTION:

Italy

ENVIRONMENT:

Indoor

WARRANTY:

5 years

OTHERS

-Stitching's Are Made With Continuous Filament Polyester Thread With A Water Repellent Finish Made By Coats® Type Weaverbird™ This Type Of Lubricated Polyester (Tkt 010) Thread Make The Stitching Stronger, Resistant To The Abrasion, And Gives The Product More Tailoring Appearance. Allowing To Read The Forms And Design Of The Product
 -All screws and assembly systems used in the production of Sitia's product are UNI EN ISO 9001-2000 and UNI ISO/TS 16949 process certified

Sitia srl Copyright 2020 - all rights reserved. The described data could be modified without prior communication